Patent No. 7,516,595

Request for Cert. of Correction dated July 1, 2009

Attorney Docket No. 3988-045995

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.

7,516,595

Application No. 10/520,673

Inventors

Yuzawa et al.

Confirmation No. 9744

Issued

April 14, 2009

Title

Method for Applying a Resealable Pouring Element

To a Container and Corresponding Container

Examiner

:

Thanh K. Truong

Customer No.

28289

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 C.F.R. 1.322(a))

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

ATTENTION:

Decision and Certificate of Correction Branch

Patent Issue Division

Sir:

In accordance with 35 U.S.C. § 254, we attach hereto Form PTO/SB/44 and a copy of proof of PTO's error and request that a Certificate of Correction be issued in the above-identified patent. The following error appears in the patent as printed:

<u>Column 6</u>, "redo sable" should read – reclosable – (See the Amendment dated July 22, 2008, page 2, Claim 13, Line 3. Claim 13 issued as Claim 2.)

Ву

Respectfully submitted.

THE WEBB LAW FIRM

I certify that this correspondence is being electronically submitted to the United States Patent and Trademark Office on July 1, 2009.

07/01/2009

Date

Signature

Mary Jo Sinicrope

(Typed Name of Person Signing Certificate)

Russell D. Orkin

Registration No. 25,363

Attorney for Registrants

700 Koppers Building 436 Seventh Avenue

Pittsburgh, PA 15219

Telephone: (412) 471-8815 Facsimile: (412) 471-4094

E-mail: webblaw@webblaw.com

Page 1 of 1

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

7,516,595

APPLICATION NO.

10/520,673

ISSUE DATE

April 14, 2009

INVENTORS

Dammers et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, "redo sable" should read - reclosable -

MAILING ADDRESS OF SENDER: The Webb Law Firm

700 Koppers Building 436 Seventh Avenue Pittsburgh, PA 15219

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form anci/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-2450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select Option 2.

Application No. 10/520,673 Paper Dated: July 22, 2008

In Reply to USPTO Correspondence of February 25, 2008

Attorney Docket No. 3988-045995

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

10/520,673

Confirmation No. 9744

Applicants

: MATTHIAS DAMMERS et al.

Filed

July 26, 2005

Title

METHOD FOR APPLYING A RESEALABLE

POURING ELEMENT TO A CONTAINER AND

CORRESPONDING CONTAINER

Group Art Unit

3721

Examiner

Thanh K. Truong

Customer No.

28289

Mail Stop Amendment Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT

Sir:

In response to the Office Action dated February 25, 2008, Applicants submit the following amendments and remarks. Additionally, Applicants are submitting a Petition for a two-month extension of time extending the term for reply to July 25, 2008.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks begin on page 4 of this paper.

I hereby certify that this correspondence is being electronically submitted to the United States Patent and Trademark Office on July 22, 2008.

122/2008 Bruce

Date

Signature

Bruce L. White

Typed Name of Person Signing Certificate

Application No. 10/520,673 Paper Dated: July 22, 2008

In Reply to USPTO Correspondence of February 25, 2008

Attorney Docket No. 3988-045995

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

1-11. (Cancelled)

(Currently Amended) A method for applying a reclosable pouring element comprising a pouring opening, a flange with a threaded ferrule, a closure film and a removable cap to a container having an opening, wherein the container comprises a body, a base and a lid, comprising the steps of:

connecting the reclosable pouring element to the lid of the container having an opening by affixing the flange of the reclosable pouring element to the lid in a liquid-tight fashion;

connecting the lid to the body in a liquid-tight fashion;

connecting the base to the body;

sterilising an interior of the container including the pouring opening;

filling the container with a product through the pouring opening;

closing the container by sealing the closure film onto the reclosable pouring element allowing the pouring opening of the reclosable pouring element to be closed in a liquid-tight fashion; and

applying the cap to the reclosable pouring element,

wherein before sterilising, a section of the closure film is sealed [[en]] to a thread free area of the threaded ferrule of the reclosable pouring element allowing in such a way that the pouring opening of the reclosable pouring element to remain remains open while sterilising and until filling.

13. (Previously Presented) The method according to claim 12, wherein the section of the closure film sealed prior to sterilising is sealed onto the reclosable pouring element after connecting the reclosable pouring element to the lid of the container.

Page 2 of 6